Author Index of Volume 175

Abarca García, E., 155
Adeyemo, A., 247
Akasheh, T. S., 171
Akiyama, T., 11
Allmann, R., 255
Al-Najar, A. A., 181
Al-Rubaie, A. Z., 181
Aoki, K., 247
Arif, A. M., 13

Bakhmutov, V. I., 19
Bal Reddy, K., 83
Barrau, J., 159
Ben Hamida, N., 159
Bertini, I., 9
Bolletta, F., 127
Bolos, C., 255
Briganti, F., 9
Busnot, A., 155

Camus, A., 193
Castellano, E. E., 1
Chen, Q., 241, 269
Claver, C., 77
Cohen, S., 47
Cotton, F. A., 281
Cotton, J. D., 187
Coyer, M. J., 47

Dahan, F., 57
Davies, J. A., 41
Diab, H., 83
Dommisse, R., 115
Drew, M. G. B., 99
Duhme, A.-K., 5

Eberlein, R., 231
Elsevier, C. J., 209
Esmans, E., 115
Exner, R., 261

Gardette, M. F., 155
Gaube, W., 273
Geise, H., 115
Geras'ko, O. A., 217
Ghedini, M., 111
Giannoccaro, P., 133
Goodgame, D. M. L., 141
Griffith, W. P., 161
Grushin, V. V., 19
Gusev, D. G., 19

Hadjiliadis, N., 57
Hendry, P., 83
Herber, R. H., 47
Hidaka, J., 31
Hirota, N., 27
Hu, N., 247
Huakuan Lin, 91
Huang Kun-Yao, 105
Huang Sheng-Hua, 105

Iakovidis, A., 57
Imhoff, P., 209
Itho, T., 17

Jabs, W., 273
Jackson, W. G., 203
Jassim, F. A., 181
Jibril, I., 171

Kajitani, M., 11
Kitagawa, S., 3
Knoch, F., 65, 231
Kolesov, B. A., 217
Konno, T., 31
Krestl, M., 255
Kushi, Y., 121

Latronico, M., 133
Laussac, J.-P., 57
Lee Chen. 41

Mak, T. C. W., 105
Manotti Lanfredi, A. M., 193
Manoussakis, G., 255
Markwell, R. D., 187
Marsich, N., 193
Masdeu, A. M., 77
Mironov, A. V., 217
Miyoshi, K., 121
Mizuta, T., 121
Mockford, M. J., 161
Moll, M., 231
Morazzoni, F., 277
Mori, W., 17
Munakata, M., 3

Nakao, Y., 17
Neuner, H.-P., 231
Neve, F., 111
Nguyen-Huy Dung, 155
Niclós Gutiérrez, J., 155
Nobile, C. F., 133

Ohya-Nishiguchi, H., 27
Okamato, K., 31
Okazaki, H., 17
Oliva, G., 1
O'Mahoney, C. A., 141

Page, C. J., 141
Pennington, W. T., 151
Pohl, S., 5
Pozzi, A., 277
Price, A. C., 281

Ramamurthy, P., 23
Ravasio, N., 277
Ravindran, M., 99
Ruiz, A., 77
Ruiz, N., 77
Robinson, G. H., 151

Shimizu, K., 11
Shraim, A. M., 171
Shuxiang Liu, 91
Skapski, A. C., 161
Slovohotov, Yu. L., 217
Sokolov, M. N., 217
Stam, C. H., 209
St. Nikolov, G., 255
Strasdeit, H., 5
Struchkov, Yu, T., 217
Sudoh, S., 11
Sugimori, A., 11
Suzuki, S., 17
Svejda, S. A., 13

Takagi, Y., 17
Takaki, M., 31
Torralba, R. C., 281

Udupa, M. R., 163
Ueda, M., 3
Ugozzoli, F., 193
Ushijima, H., 11

van Eldik, R., 83
Vidyasagar, K., 281
Vijayanthimala, R., 163
Viossat, B., 155
Vitale, M., 127
Vol'pin, M. E., 19

Wang Ru-Ji, 105
Weiss, R., 65
Willey, G. R., 99
Williams, D. J., 141
Wright, M. E., 13

Yamamoto, T., 121
Yamazaki, H., 247
Yi Dang, 115
Yonemura, T., 31
Yonezawa. T.. 3

Subject Index of Volume 175

Acyl complexes
  ^{55}Mn chemical shifts in carbonylmanganese alkyl and acyl complexes, 187
Alkoxide complexes
  X-ray structure of divanadyl complex, $[(VO)_2Cl_2(C_8H_6N_2)_2(OC_2H_5)_2]$, 3
Alkoxo complexes
  reactivity of Ni(II)–tertiary phosphine complexes towards alkoxides under CO; methoxo–carbonyl complexes, synthesis and reactivity, 133
Alkoxy carbonyl complexes
  reactivity of Ni(II)–tertiary phosphine complexes towards alkoxides under CO; methoxo–carbonyl complexes, synthesis and reactivity, 133
Alkyl complexes
  ^{55}Mn chemical shifts in carbonylmanganese alkyl and acyl complexes, 187
Amide complexes
  general synthetic route to pentaamminecobalt(III) complexes of N-bonded amides, ureas, carbamates, sulfinamides, sulfonamides and sulfamate, 203
  potential multifunctional anti-cancer metal complexes; synthesis of some Rh(II) and Pt(II) complexes of diamine-substituted acridine-4-carboxamides, and X-ray structure of $[Rh(CH_3CO_2)_2L]_2$ (L=*N*-[2-(dimethylamino)hexyl]acridine-4-carboxamide), 141
Amine complexes
  crystal and molecular structures of (diethylenetriamino)Cu(II) nitrate, 255
  cyanato Cu(II) complexes with pyridine; synthesis and characterization of two isomeric forms, 277
  electrochemiluminescence quantum yield of some Ru(II) polypyridine complexes, 127
  potential multifunctional anti-cancer metal complexes; synthesis of some Rh(II) and Pt(II) complexes of diamine-substituted acridine-4-carboxamides, and X-ray structure of $[Rh(CH_3CO_2)_2L]_2$ (L=*N*-[2-(dimethylamino)hexyl]acridine-4-carboxamide), 141
  reactions of trimethylamine with Mn(II) and Cd(II) chlorides; crystal and molecular structure of $[Me_3NH][MnCl_3]$, 99
Amino acid complexes
  complete displacement of N,O bound amino acids (amacH) in *cis*-$[(NH_3)_2Pt(amac)]NO_3$ chelates by 9-methylguanine (9-MeGH) and 9-methyladenine (9-MeA); crystal structure of *cis*-$[(NH_3)_2Pt(9\text{-MeA-}N^7)_2](NO_3)_2\cdot 1.5H_2O$, 57
  linear enthalpy relationships between heats of formation of complex compounds and heats of protonation of ligands; Cu(II)–*N-para*-substituted phenyl)iminodiacetic acid–α-amino acids ternary system and Cu(II)–*N*-(*para*-substituted phenyl)iminoacetic acids binary system, 91
  reaction of $[RuCl_2(PPh_3)_3]$ with α-amino acids; synthesis and X-ray structural characterization of Schiff base complexes $\{Ru[(CH_3)_2C{:}NCH(R)\text{-}COO]_2(PPh_3)_2\}$ (R=H, CH_3), 261
Ammine complexes
  general synthetic route to pentaamminecobalt(III) complexes of N-bonded amides, ureas, carbamates, sulfinamides, sulfonamides and sulfamate, 203
Aquo complexes
  isocyano complex reformulated; X-ray crystal structure of *trans*-$[Co(CN)(H_2O)(DMGH)_2]$, 161
Ascorbate complexes
  Ti(IV) complexes of L(+)-ascorbic acid and 5,6-*O*-isopropylidene-L-ascorbic acid, 273
Azide complexes
  azide-bridged dinuclear Cu(II) complexes with various chelate ring sizes; diamagnetic model complex for type III Cu protein, 17

Bidentate ligand complexes
  crystal and molecular structures of (diethylenetriamino)Cu(II) nitrate, 255
  formation and properties of $[Cd(S_2CNEt_2)I]_\infty$, alternating copolymer of Cd *N,N*-diethyldithiocarbamate and Cd iodide, 5
  insertion reaction of carbon disulfide into Cu–C bonds of aromatic organocopper(I) compounds, in presence of 2,2′-bipyridine and 1,10-phenanthroline; X-ray diffraction structures of [(CuS_3C-*o*-tolyl)phen], [(CuS_3C-*o*-tolyl)$_2$phen] and [Cu_2(S_3C-*o*-tolyl)(S_2C-*o*-tolyl)bipy] complexes, 193
  ligand field stabilization effect on metal–ligand bond distances in octahedral metal complexes with edta-type ligands; redetermination of molecular structure of (ethylenediaminetriacetatoacetic acid)(aqua)Fe(III), [Fe(Hedta)(H_2O), 121
  synthesis and crystal and molecular structure of $[(n\text{-}C_4H_9)_4N]_2[MoO_2(C_5O_5)_2]$; confirmation of exclusively η^2-coordination by croconate ligand, 241

Cadmium complexes
  formation and properties of $[Cd(S_2CNEt_2)I]_\infty$, alternating copolymer of Cd *N,N*-diethyldithiocarbamate and Cd iodide, 5
  reactions of trimethylamine with Mn(II) and Cd(II) chlorides; crystal and molecular structure of $[Me_3NH][MnCl_3]$, 99
Carbonato complexes
  crystal structure of tetraguanidinium tri(carbonato)-oxotitanium(IV) dihydrate, $[C(NH_2)_3]_4$-$[TiO(CO_3)_3]\cdot 2H_2O$, 105
Carbonyl complexes
  binuclear Mo S centers with CO and NO binding sites; synthesis, structure and electrochemistry of $[Mo(CO)(\mu\text{-}'S_4')]_2\cdot$THF and $[Mo(NO)(\mu\text{-}'S_4')]\cdot$

Elsevier Sequoia/Printed in Switzerland

2DMF ('S_4'$^{2-}$ = 2,3,8,9-dibenzo-1,4,7,10-tetrathiadecane(2−)), 65
synthesis and reactivity of digermylruthenium complexes $Me_2Ge(CH_2)_nGe(Me_2)Ru(CO)_4$ (n = 1 or 2), 159
Catalysis
modified precursor systems for hydroformylation of olefines, 77
Chelate complexes
crystal and molecular structures of (diethylenetriamino)Cu(II) nitrate, 255
formation and properties of $[Cd(S_2CNEt_2)I]_\infty$, alternating copolymer of Cd *N*,*N*-diethyldithiocarbamate and Cd iodide, 5
insertion reaction of carbon disulfide into Cu–C bonds of aromatic organocopper(I) compounds, in presence of 2,2′-bipyridine and 1,10-phenanthroline; X-ray diffraction structures of [(CuS_3C-*o*-tolyl)phen], [(CuS_3C-*o*-tolyl)$_2$phen] and [Cu_2(S_3C-*o*-tolyl)(S_2C-*o*-tolyl)bipy] complexes, 193
labilization by steric crowding; hydrolysis and racemization kinetics of $Co(tmen)_3^{3+}$, tmen = 2,3-diamino-2,3-dimethylbutane, 83
ligand field stabilization effect on metal–ligand bond distances in octahedral metal complexes with edta-type ligands; redetermination of molecular structure of (ethylenediaminetriacetatoacetic acid)(aqua)Fe(III), [Fe(Hedta)(H_2O)], 121
synthesis and crystal and molecular structure of $[(n\text{-}C_4H_9)_4N]_2[MoO_2(C_5O_5)_2]$; confirmation of exclusively η-coordination by croconate ligand, 241
Chelate ligand complexes
azide-bridged dinuclear Cu(II) complexes with various chelate ring sizes; diamagnetic model complex for type III Cu protein, 17
Cluster complexes
double exchange versus J inequality in $Fe_3S_4^0$ clusters, 9
Cobalt complexes
general synthetic route to pentaamminecobalt(III) complexes of N-bonded amides, ureas, carbamates, sulfinamides, sulfonamides and sulfanate, 203
isocyano complex reformulated; X-ray crystal structure of *trans*-[Co(CN)(H_2O)(DMGH)$_2$], 161
labilization by steric crowding; hydrolysis and racemization kinetics of $Co(tmen)_3^{3+}$, tmen = 2,3-diamino-2,3-dimethylbutane, 83
metal ion interactions with thiamine; crystal structures of Co(thiamine)$Cl_3\cdot 0.4H_2O$ and Zn(thiamine)$Br_3\cdot 0.2H_2O$; metal bonding to base, 247
photoinsertion of dioxygen in *trans*-[Co(tet-a)-$(NO_2)_2]^+$ and *trans*-[Co(tet-b)$(NO_2)_2]^+$ in acetonitrile; laser flash photolysis study, 23
preparation and some properties of Co(III) complexes with dipeptide containing L-methionine residue, 31
syntheses and electrochemical behaviour of novel (η-cyclopentadienyl)(dmit)Co complexes, 11
Copper complexes
azide-bridged dinuclear Cu(II) complexes with various chelate ring sizes; diamagnetic model complex for type III Cu protein, 17
crystal and molecular structure of bromo bis(1-phenyl-3,5-dimethyl pyrazole)Cu(I), CuBr(pdmp)$_2$, 1
of (diethylenetriamino)Cu(II) nitrate, 255
cyanato Cu(II) complexes with pyridine; synthesis and characterization of two isomeric forms, 277
insertion reaction of carbon disulfide into Cu–C bonds of aromatic organocopper(I) compounds, in presence of 2,2′-bipyridine and 1,10-phenanthroline; X-ray diffraction structures of [(CuS_3C-*o*-tolyl)phen], [(CuS_3C-*o*-tolyl)$_2$phen] and [Cu_2(S_3C-*o*-tolyl)(S_2C-*o*-tolyl)bipy] complexes, 193
linear enthalpy relationships between heats of formation of complex compounds and heats of protonation of ligands; Cu(II)–*N*-(*para*-substituted phenyl)iminodiacetic acid–α-amino acids ternary system and Cu(II)–*N*-(*para*-substituted phenyl)iminoacetic acids binary system, 91
synthesis, crystal structure and properties of aqua(C-benzyl-iminodiacetato) Cu(II); [Cu(CMPhe)(H_2O)] with tridentate-bridged carboxylate group to Cu(II) coordination, 155
Crown ether complexes
first metal complexes of crown thioether bzo_2-18S6 and its tertiarybutyl derivative $^{bu}bzo_2$-18S6 with Ru, Ag, Cr, Mo, W and Fe; X-ray structure analysis of [Ru(bzo_2-18S6)]$(PF_6)_2\cdot 2CH_3NO_2$, 231
Crystal structure(s)
of $[Al(i\text{-}Bu)]_2[C_{10}H_{20}N_4][Al(i\text{-}Bu)_3]_2$, 151
of A_2ReX_8 (A = HP-n-Pr_3, $PMePh_3$; X = Cl or Br), 281
of binuclear Sn(IV)–squarate species, 269
of $[Cd(S_2CNEt_2)I]_\infty$, 5
of $[C(NH_2)_3]_4[TiO(CO_3)_3]\cdot 2H_2O$, 105
of *trans*-[Co(CN)(H_2O)(DMGH)$_2$], 161
of Co(thiamine)$Cl_3\cdot 0.4H_2O$ and Zn(thiamine)$Br_3\cdot 0.2H_2O$, 247
of $CuBr(pdmp)_2$, 1
of [Cu(CMPhe)(H_2O)], 155
of [(CuS_3C-*o*-tolyl)phen], [(CuS_3C-*o*-tolyl)$_2$phen] and [Cu_2S_3C-*o*-tolyl)(S_2C-*o*-tolyl)bipy], 193
of (diethylenetriamino)Cu(II) nitrate, 255
of $[Me_3NH][MnCl_3]$, 99
of [Mo(CO)(μ-'S_4')]$_2\cdot$THF and [Mo(NO)(μ-'S_4')$_2\cdot$2DMF ('S_4'$^{2-}$ = 2,3,8,9-dibenzo-1,4,7,10-tetrathiadecane(2−)), 65
of $[(n\text{-}C_4H_9)_4N]_2[MoO_2(C_5O_5)_2]$, 241
of *cis*-$[(NH_3)_2Pt(9\text{-}MeA\text{-}N^7)_2](NO_3)_2\cdot 1.5H_2O$, 57
of Pt(II)[(2,2′-bpy)$(NCO)_2$], 47
of $[Rh(CH_3CO_2)_2L]_2$ (L = *N*-[2-(dimethylamino)hexyl]acridine-4-carboxamide), 141
of [Rh(COD)Cl(Et_3P=N-*p*-tolyl)], 209
of [Ru(bzo_2-18S6)]$(PF_6)_2\cdot 2CH_3NO_2$, 231
of $[(VO)_2Cl_2(C_8H_6N_2)_2(OC_2H_5)_2]$, 3
of $W_3S_7^4$ and $W_3S_4^{4+}$ complexes, 217
Cyanate complexes
Pt(II)[(2,2′-bpy)$(NCO)_2$] (2,2′-bpy = 2,2′-bipyridyl); X-ray structure, NMR and FT-IR determination of pseudohalide bonding, 47
Cyanato complexes
cyanato Cu(II) complexes with pyridine; synthesis and characterization of two isomeric forms, 277

Cyclopentadienyl complexes
syntheses and electrochemical behaviour of novel (η-cyclopentadienyl)(dmit)Co complexes, 11

Diimine complexes
ligand–metal interactions and excited state properties in Ru(II)–diimine complexes, 171
Dinuclear complexes
X-ray structure of divanadyl complex, $[(VO)_2Cl_2(C_8H_6N_2)_2(OC_2H_5)_2]$, 3
Dioxygen complexes
photoinsertion of dioxygen in *trans*-$[Co(tet\text{-}a)(NO_2)_2]^+$ and *trans*-$[Co(tet\text{-}b)(NO_2)_2]^+$ in acetonitrile; laser flash photolysis study, 23

Electrochemiluminescence
quantum yield of some Ru(II) polypyridine complexes, 127
Electrochemistry
binuclear Mo S centers with CO and NO binding sites; synthesis, structure and electrochemistry of $[Mo(CO)(\mu\text{-}'S_4')]_2\cdot THF$ and $[Mo(NO)(\mu\text{-}'S_4')]_2\cdot 2DMF$ ('S_4'$^{2-}$ = 2,3,8,9-dibenzo-1,4,7,10-tetrathiadecane(2−)), 65
electrochemical oxidative cleavage of Pt–H bond in *trans*-$[PtHCl(PEt_3)_2]$, 41
ligand–metal interactions and excited state properties in Ru(II)–diimine complexes, 171
syntheses and electrochemical behaviour of novel (η-cyclopentadienyl)(dmit)Co complexes, 11

Ferrocenyl complexes
reductive coupling of ferrocenyl arones by low-valent Ti reagents; synthesis and characterization of some 1,2-diferrocenylethenes and 1,2-diferrocenylethanes, 115

Germyl complexes
synthesis and reactivity of digermylruthenium complexes $Me_2\overline{Ge(CH_2)_nGe(Me_2)}Ru(CO)_4$ (n = 1 or 2), 159

Halide complexes
crystallographic disorder of Re_2 unit in complexes of type $A_2Re_2X_8$ (A = HP-n-Pr_3, $PMePh_3$; X = Cl or Br), 281
triangular $W_3S_7^{4+}$ and $W_3S_4^{4+}$ complexes, 217
Heterocyclic ligand complexes
crystal and molecular structure of bromo bis(1-phenyl-3,5-dimethylpyrazole)Cu(I), $CuBr(pdmp)_2$, 1
Heteronuclear complexes
new organometallic nitrosyls of Ir(III) and Pt, 111
Hydride complexes
electrochemical oxidative cleavage of Pt–H bond in *trans*-$[PtHCl(PEt_3)_2]$, 41
NMR study of reactions of dihydrogen with monohydrides $RhHCl_2L_2$ (L = $P(CH(CH_3)_2)_3$ and $P(c\text{-}C_6H_{11})_3$), 19
reaction of diisobutylaluminum hydride with macrocyclic tetradentate secondary amine; synthesis and molecular structure of $[Al(i\text{-}Bu)]_2[C_{10}H_{20}N_4][Al(i\text{-}Bu)_3]_2$; evidence of unusual disproportionation of $(i\text{-}Bu)_2AlH$, 151

Hydroformylation
modified precursor systems for hydroformylation of olefines, 77
Hydrogen complexes
NMR study of reactions of dihydrogen with monohydrides $RhHCl_2L_2$ (L = $P(CH(CH_3)_2)_3$ and $P(c\text{-}C_6H_{11})_3$), 19

Iminophosphorane complexes
iminophosphorane complexes of Rh(I) and X-ray crystal structure of [Rh(COD)Cl(Et_3P=N-*p*-tolyl)], 209
Iridium complexes
new organometallic nitrosyls of Ir(III) and Pt, 111
Iron complexes
double exchange versus J inequality in $Fe_3S_4^0$ clusters, 9
EPR evidence of intermediate peroxo complexes formed in SOD model system, 27
ligand field stabilization effect on metal–ligand bond distances in octahedral metal complexes with edta-type ligands; redetermination of molecular structure of (ethylenediaminetriacetatoacetic acid)(aqua)Fe(III), $[Fe(Hedta)(H_2O)]$, 121
Isocyano complexes
isocyano complex reformulated; X-ray crystal structure of *trans*-$[Co(CN)(H_2O)(DMGH)_2]$, 161

Kinetics and mechanism
labilization by steric crowding; hydrolysis and racemization kinetics of $Co(tmen)_3^{3+}$, tmen = 2,3-diamino-2,3-dimethylbutane, 83

Macrocyclic complexes
reaction of diisobutylaluminum hydride with macrocyclic tetradentate secondary amine; synthesis and molecular structure of $[Al(i\text{-}Bu)]_2[C_{10}H_{20}N_4][Al(i\text{-}Bu)_3]_2$; evidence of unusual disproportionation of $(i\text{-}Bu)_2AlH$, 151
Macrocyclic ligand complexes
photoinsertion of dioxygen in *trans*-$[(Co(tet\text{-}a)(NO_2)_2]^+$ and *trans*-$[Co(tet\text{-}b)(NO_2)_2]^+$ in acetonitrile; laser flash photolysis study, 23
Manganese complexes
^{55}Mn chemical shifts in carbonylmanganese alkyl and acyl complexes, 187
reactions of trimethylamine with Mn(II) and Cd(II) chlorides; crystal and molecular structure of $[Me_3NH][MnCl_3]$, 99
Metal complexes
first metal complexes of crown thioether bzo_2-18S6 and its tertiarybutyl derivative $^{bu}bzo_2$-18S6 with Ru, Ag, Cr, Mo, W and Fe; X-ray structure analysis of $[Ru(bzo_2\text{-}18S6)](PF_6)_2\cdot 2CH_3NO_2$, 231
Molecular structure
of $[Fe(Hedta)(H_2O)]$, 121
Molybdenum complexes
binuclear Mo S centers with CO and NO binding sites; synthesis, structure and electrochemistry of $[Mo(CO)(\mu\text{-}'S_4')_2\cdot THF$ and $[Mo(NO)(\mu\text{-}'S_4')]_2\cdot 2DMF$ ('S_4'$^{2-}$ = 2,3,8,9-dibenzo-1,4,7,10-tetrathiadecane(2−)), 65

synthesis and crystal and molecular structure of [(n-C_4H_9)$_4$N]$_2$[$MoO_2(C_5O_5)_2$]; confirmation of exclusively η^2-coordination by croconate ligand, 241
Mössbauer spectroscopy
double exchange versus *J* inequality in $Fe_3S_4^0$ clusters, 9

Nickel complexes
reactivity of Ni(II)–tertiary phosphine complexes towards alkoxides under CO; methoxo–carbonyl complexes, synthesis and reactivity, 133
Nitrosyl complexes
binuclear Mo S centers with CO and NO binding sites; synthesis, structure and electrochemistry of [Mo(CO)(μ-'S_4')]$_2$·THF and [Mo(NO)-(μ-'S_4')]$_2$·2DMF ('S_4'$^{2-}$ = 2,3,8,9-dibenzo-1,4,7,10-tetrathiadecane(2−)), 65
new organometallic nitrosyls of Ir(III) and Pt, 111
NMR spectroscopy
^{55}Mn chemical shifts in carbonylmanganese alkyl and acyl complexes, 187
Nucleobase complexes
complete displacement of N,O bound amino acids (amacH) in *cis*-[$(NH_3)_2$Pt(amac)]NO_3 chelates by 9-methylguanine (9-MeGH) and 9-methyladenine (9-MeA); crystal structure of *cis*-[$(NH_3)_2$Pt-(9-MeA-N^7)$_2$]$(NO_3)_2$·1.5H_2O, 57

Olefin complexes
modified precursor systems for hydroformylation of olefines, 77
Optical activity
synthesis of optically active Schiff base ligands from chiral 6-alkoxy-2-pyridinecarboxaldehydes and their application in Rh catalyzed hydrosilations, 13
Organoaluminum chemistry
reaction of diisobutylaluminum hydride with macrocyclic tetradentate secondary amine; synthesis and molecular structure of [Al(i-Bu)]$_2$[$C_{10}H_{20}N_4$][Al-(i-Bu)$_3$]$_2$; evidence of unusual disproportionation of (i-Bu)$_2$AlH, 151
Organocopper complexes
insertion reaction of carbon disulfide into Cu–C bonds of aromatic organocopper(I) compounds, in presence of 2,2'-bipyridine and 1,10-phenanthroline; X-ray diffraction structure of [(CuS_3C-*o*-tolyl)phen], [(CuS_3C-*o*-tolyl)$_2$phen] and [Cu_2(S_3C-*o*-tolyl)(S_2C-*o*-tolyl)bipy] complexes, 193
Organotellurium complexes
synthesis, characterization and solution properties of some new organotellurium(IV) compounds derived from bis(2-phenylethyl)telluride, 181
Oxo complexes
crystal structure of tetraguanidinium tri(carbonato)oxotitanium(IV) dihydrate, [$C(NH_2)_3$]$_4$[$TiO(CO_3)_3$]·2H_2O, 105
synthesis and crystal and molecular structure of [(n-C_4H_9)$_4$N]$_2$[$MoO_2(C_5O_5)_2$]; confirmation of exclusively η^2-coordination by croconate ligand, 241

Palladium complexes
complexes of Pd(II) with theophylline-7-acetic acid, 163

Peptide complexes
preparation and some properties of Co(III) complexes with dipeptide containing L-methionine residue, 31
Peroxo complexes
EPR evidence of intermediate peroxo complexes formed in SOD model system, 27
Photolysis
photoinsertion of dioxygen in *trans*-[Co(tet-a)(NO_2)]$^+$ and *trans*-[Co(tet-b)$(NO_2)_2$]$^+$ in acetonitrile; laser flash photolysis study, 23
Platinum complexes
complete displacement of N,O bound amino acids (amacH) in *cis*-[$(NH_3)_2$Pt(amac)]NO_3 chelates by 9-methylguanine (9-MeGH) and 9-methyladenine (9-MeA); crystal structure of *cis*-[$(NH_3)_2$Pt-(9-MeA-N^7)$_2$]$(NO_3)_2$·1.5H_2O, 57
electrochemical oxidative cleavage of Pt–H bond in *trans*-[PtHCl(PEt_3)$_2$], 41
new organometallic nitrosyls of Ir(III) and Pt, 111
Pt(II)[(2,2'-bpy)$(NCO)_2$] (2,2'-bpy = 2,2'-bipyridyl); X-ray structure, NMR and FT-IR determination of pseudohalide bonding, 47
Polydentate ligand complexes
labilization by steric crowding; hydrolysis and racemization kinetics of Co(tmen)$_3^{3+}$, tmen = 2,3-diamino-2,3-dimethylbutane, 83
synthesis, crystal structure and properties of aqua(*C*-benzyl-iminodiacetato)Cu(II); Cu(CMPhe)(H_2O)] with tridentate-bridged carboxylate group to Cu(II) coordination, 155
Polynuclear complexes
triangular $W_3S_7^{4+}$ and $W_3S_4^{4+}$ complexes, 217
Purine base complexes
complexes of Pd(II) with theophylline-7-acetic acid, 163

Rhenium complexes
crystallographic disorder of Re_2 unit in complexes of type $A_2Re_2X_8$ (A = HP-n-Pr_3, $PMePh_3$; X = Cl or Br), 281
Rhodium complexes
iminophosphorane complexes of Rh(I) and X-ray crystal structure of [Rh(COD)Cl(Et_3P=N-*p*-tolyl)], 209
modified precursor systems for hydroformylation of olefines, 77
NMR study of reactions of dihydrogen with monohydrides $RhHCl_2L_2$ (L = P($CH(CH_3)_2$)$_3$ and P(c-C_6H_{11})$_3$, 19
potential multifunctional anti-cancer metal complexes; synthesis of some Rh(II) and Pt(II) complexes of diamine-substituted acridine-4-carboxamides, and X-ray structure of [$Rh(CH_3CO_2)_2L]_2$ (L = *N*-[2-(dimethyl-amino)hexyl]acridine-4-carboxamide), 141
synthesis of optically active Schiff base ligands from chiral 6-alkoxy-2-pyridinecarboxaldehydes and their application in Rh catalyzed hydrosilations, 13
Ruthenium complexes
electrochemiluminescence quantum yield of some Ru(II) polypyridine complexes, 127
ligand–metal interactions and excited state properties in Ru(II)–diimine complexes, 171

reaction of $[RuCl_2(PPh_3)_3]$ with α-amino acids; synthesis and X-ray structural characterization of Schiff base complexes $\{Ru[(CH_3)_2C{:}NCH(R)COO]_2(PPh_3)_2\}$ (R = H, CH_3), 261
synthesis and reactivity of digermylruthenium complexes $Me_2Ge(CH_2)_nGe(Me_2)Ru(CO)_4$ ($n = 1$ or 2), 159

Schiff base complexes
reaction of $[RuCl_2(PPh_3)_3]$ with α-amino acids; synthesis and X-ray structural characterization of Schiff base complexes $\{Ru[(CH_3)_2C{:}NCH(R)COO]_2(PPh_3)_2\}$ (R = H, CH_3), 261
synthesis of optically active Schiff base ligands from chiral 6-alkoxy-2-pyridinecarboxaldehydes and their application in Rh catalyzed hydrosilations, 13
Secondary amine complexes
reaction of diisobutylaluminum hydride with macrocyclic tetradentate secondary amine; synthesis and molecular structure of $[Al(i\text{-}Bu)]_2[C_{10}H_{20}N_4][Al(i\text{-}Bu)_3]_2$; evidence of unusual disproportionation of $(i\text{-}Bu)_2AlH$, 151
Squarate complexes
synthesis and crystal and molecular structure of binuclear Sn(IV–squarate species, 269
Sulfur complexes
binuclear Mo S centers with CO and NO binding sites; synthesis, structure and electrochemistry of $[Mo(CO)(\mu\text{-}'S_4')]_2 \cdot THF$ and $[Mo(NO)(\mu\text{-}'S_4')]_2 \cdot 2DMF$ ('S_4'$^{2-}$ = 2,3,8,9-dibenzo-1,4,7,10-tetrathiadecane(2−)), 65
double exchange versus J inequality in $Fe_3S_4^0$ clusters, 9
triangular $W_3S_7^{4+}$ and $W_3S_4^{4+}$ complexes, 217
Sulfur ligand complexes
first metal complexes of crown thioether bzo_2-18S6 and its tertiarybutyl derivative $^{bu}bzo_2$-18S6 with Ru, Ag, Cr, Mo, W and Fe; X-ray structure analysis of $[Ru(bzo_2\text{-}18S6)](PF_6)_2 \cdot 2CH_3NO_2$, 231
Tellurium complexes
synthesis, characterization and solution properties of some new organotellurium(IV) compounds derived from bis(2-phenylethyl)telluride, 181
Tetradentate ligand complexes
reaction of diisobutylaluminum hydride with macrocyclic tetradentate secondary amine; synthesis and molecular structure of $[Al(i\text{-}Bu)]_2[C_{10}H_{20}N_4][Al(i\text{-}Bu)_3]_2$; evidence of unusual disproportionation of $(i\text{-}Bu)_2AlH$, 151
Thermodynamics
linear enthalpy relationships between heats of formation of complex compounds and heats of protonation of ligands; Cu(II)–*N*-(*para*-substituted phenyl)iminodiacetic acid–α-amino acids ternary system and Cu(II)–*N*-(*para*-substituted phenyl)iminoacetic acids binary system, 91
Tin complexes
synthesis and crystal and molecular structure of binuclear Sn(IV)–squarate species, 269
Titanium complexes
crystal structure of tetraguanidinium tri(carbonato)-oxotitanium(IV) dihydrate, $[C(NH_2)_3]_4[TiO(CO_3)_3] \cdot 2H_2O$, 105
reductive coupling of ferrocenyl arones by low-valent Ti reagents; synthesis and characterization of some 1,2-diferrocenylethenes and 1,2-diferrocenylethanes, 115
Ti(IV) complexes of L(+)-ascorbic acid and 5,6-*O*-isopropylidene-L-ascorbic acid, 273
Tungsten complexes
triangular $W_3S_7^{4+}$ and $W_3S_4^{4+}$ complexes, 217

Vanadyl complexes
X-ray structure of divanadyl complex, $[(VO)_2Cl_2(C_8H_6N_2)_2(OC_2H_5)_2]$, 3
Vitamin B_1 complexes
metal ion interactions with thiamine; crystal structures of $Co(thiamine)Cl_3 \cdot 0.4H_2O$ and $Zn(thiamine)Br_3 \cdot 0.2H_2O$; metal bonding to base, 247